Modélisation de la dispersion atmosphérique des toxiques en cas d'incendie de trois cellules de stockage de produits combustibles

Condition A, vent 2 m/s Condition D, vent 5 m/s Condition F, vent 3 m/s

	SITE DATA:	SITE DATA:	SITE DATA:
	Location: ROYE, FRANCE	Location: ROYE, FRANCE	Location: ROYE, FRANCE
	Building Air Exchanges Per Hour: 0.42 (unsheltered single storied)	Building Air Exchanges Per Hour: 1.04 (unsheltered single storied)	Building Air Exchanges Per Hour: 0.65 (unsheltered single storied)
	Time: December 12, 2024 1012 hours DST (using computer's clock)	Time: December 12, 2024 1014 hours DST (using computer's clock)	Time: December 12, 2024 1015 hours DST (using computer's clock)
	ATMOSPHERIC DATA: (MANUAL INPUT OF DATA)	ATMOSPHERIC DATA: (MANUAL INPUT OF DATA)	ATMOSPHERIC DATA: (MANUAL INPUT OF DATA)
	Wind: 2 meters/second from SSW at 3 meters	Wind: 5 meters/second from SSW at 3 meters	Wind: 3 meters/second from SSW at 3 meters
	Ground Roughness: open country Cloud Cover: 5 tenths	Ground Roughness: open country Cloud Cover: 5 tenths	Ground Roughness: open country Cloud Cover: 5 tenths
	Air Temperature: 20° C	Air Temperature: 20° C	Air Temperature: 15° C
	Stability Class: A (user override)	Stability Class: D	Stability Class: F (user override)
	No Inversion Height Relative Humidity: 50%	No Inversion Height Relative Humidity: 50%	No Inversion Height Relative Humidity: 50%
Suies	SOURCE STRENGTH:	SOURCE STRENGTH:	SOURCE STRENGTH:
	Direct Source: 22,23 kilograms/sec Source Height: 233 meters	Direct Source: 22,23 kilograms/sec Source Height: 93 meters	Direct Source: 22,23 kilograms/sec Source Height: 155 meters
	Release Duration: 60 minutes	Release Duration: 60 minutes	Release Duration: 60 minutes
	Release Rate: 1333,8 kilograms/min	Release Rate: 1333,8 kilograms/min	Release Rate: 1333,8 kilograms/min
	Total Amount Released: 80028 kilograms	Total Amount Released: 80028 kilograms	Total Amount Released: 80028 kilograms
	Note: This chemical may flash boil and/or result in two phase flow.	Note: This chemical may flash boil and/or result in two phase flow.	Note: This chemical may flash boil and/or result in two phase flow.
	Use both dispersion modules to investigate its potential behavior.	Use both dispersion modules to investigate its potential behavior.	Use both dispersion modules to investigate its potential behavior.
	THREAT ZONE: (GAUSSIAN SELECTED)	THREAT ZONE: (GAUSSIAN SELECTED)	THREAT ZONE: (GAUSSIAN SELECTED)
	Model Run: Gaussian	Model Run: Gaussian	Model Run: Gaussian
	Red : LOC is not exceeded (79 mg/(cu m))	Red : LOC is not exceeded (79 mg/(cu m))	Red : LOC is not exceeded (79 mg/(cu m))
	Note: Threat zone was not drawn because	Note: Threat zone was not drawn because	Note: Threat zone was not drawn because
	the ground level concentrations never exceed the LOC.	the ground level concentrations never exceed the LOC.	the ground level concentrations never exceed the LOC.

Condition A, vent 2 m/s

Note: Threat zone was not drawn because

Note: Threat zone was not drawn because

the ground level concentrations never exceed the LOC.

the ground level concentrations never exceed the LOC.

Orange: LOC is not exceeded --- (920 mg/(cu m))

Condition D, vent 5 m/s

Condition F, vent 3 m/s

Note: Threat zone was not drawn because

Note: Threat zone was not drawn because

the ground level concentrations never exceed the LOC.

the ground level concentrations never exceed the LOC.

Orange: LOC is not exceeded --- (920 mg/(cu m))

	Condition A, vent 2 m/s	Condition D, vent 5 m/s	Condition F, Vent 3 m/S
	SITE DATA:	SITE DATA:	SITE DATA:
	Location: ROYE, FRANCE	Location: ROYE, FRANCE	Location: ROYE, FRANCE
	Building Air Exchanges Per Hour: 0.42 (unsheltered single storied)	Building Air Exchanges Per Hour: 1.04 (unsheltered single storied)	Building Air Exchanges Per Hour: 0.65 (unsheltered single storied)
	Time: December 12, 2024 1016 hours DST (using computer's clock)	Time: December 12, 2024 1017 hours DST (using computer's clock)	Time: December 12, 2024 1017 hours DST (using computer's clock)
	CHEMICAL DATA:	CHEMICAL DATA:	CHEMICAL DATA:
	Chemical Name: CARBON MONOXIDE Molecular Weight: 28.01 g/mol	Chemical Name: CARBON MONOXIDE Molecular Weight: 28.01 g/mol	Chemical Name: CARBON MONOXIDE Molecular Weight: 28.01 g/mol
	AEGL-1 (60 min): N/A AEGL-2 (60 min): 83 ppm AEGL-3 (60 min): 330 ppm	AEGL-1 (60 min): N/A AEGL-2 (60 min): 83 ppm AEGL-3 (60 min): 330 ppm	AEGL-1 (60 min): N/A AEGL-2 (60 min): 83 ppm AEGL-3 (60 min): 330 ppm
	IDLH: 1200 ppm LEL: 125000 ppm UEL: 742000 ppm	IDLH: 1200 ppm LEL: 125000 ppm UEL: 742000 ppm	IDLH: 1200 ppm LEL: 125000 ppm UEL: 742000 ppm
	Ambient Boiling Point: -191.5° C	Ambient Boiling Point: -191.5° C	Ambient Boiling Point: -191.5° C
	Vapor Pressure at Ambient Temperature: greater than 1 atm	Vapor Pressure at Ambient Temperature: greater than 1 atm	Vapor Pressure at Ambient Temperature: greater than 1 atm
	Ambient Saturation Concentration: 1,000,000 ppm or 100.0%	Ambient Saturation Concentration: 1,000,000 ppm or 100.0%	Ambient Saturation Concentration: 1,000,000 ppm or 100.0%
	ATMOSPHERIC DATA: (MANUAL INPUT OF DATA)	ATMOSPHERIC DATA: (MANUAL INPUT OF DATA)	ATMOSPHERIC DATA: (MANUAL INPUT OF DATA)
	Wind: 2 meters/second from SSW at 3 meters	Wind: 5 meters/second from SSW at 3 meters	Wind: 3 meters/second from SSW at 3 meters
	Ground Roughness: open country Cloud Cover: 5 tenths	Ground Roughness: open country Cloud Cover: 5 tenths	Ground Roughness: open country Cloud Cover: 5 tenths
	Air Temperature: 20° C	Air Temperature: 20° C	Air Temperature: 15° C
co	Stability Class: A (user override)	Stability Class: D	Stability Class: F (user override)
	No Inversion Height Relative Humidity: 50%	No Inversion Height Relative Humidity: 50%	No Inversion Height Relative Humidity: 50%
	SOURCE STRENGTH:	SOURCE STRENGTH:	SOURCE STRENGTH:
	Direct Source: 69,74 kilograms/sec Source Height: 233 meters	Direct Source: 69,74 kilograms/sec Source Height: 93 meters	Direct Source: 69,74 kilograms/sec Source Height: 155 meters
	Release Duration: 60 minutes	Release Duration: 60 minutes	Release Duration: 60 minutes
	Release Rate: 4184,4 kilograms/min	Release Rate: 4184,4 kilograms/min	Release Rate: 4184,4 kilograms/min
	Total Amount Released: 251064 kilograms	Total Amount Released: 251064 kilograms	Total Amount Released: 251064 kilograms
	Note: This chemical may flash boil and/or result in two phase flow.	Note: This chemical may flash boil and/or result in two phase flow.	Note: This chemical may flash boil and/or result in two phase flow.
	Use both dispersion modules to investigate its potential behavior.	Use both dispersion modules to investigate its potential behavior.	Use both dispersion modules to investigate its potential behavior.
	THREAT ZONE: (GAUSSIAN SELECTED)	THREAT ZONE: (GAUSSIAN SELECTED)	THREAT ZONE: (GAUSSIAN SELECTED)
	Model Run: Gaussian	Model Run: Gaussian	Model Run: Gaussian
	Red : LOC is not exceeded (3680 mg/(cu m))	Red : LOC is not exceeded (3680 mg/(cu m))	Red : LOC is not exceeded (3680 mg/(cu m))

Note: Threat zone was not drawn because

Note: Threat zone was not drawn because

the ground level concentrations never exceed the LOC.

the ground level concentrations never exceed the LOC.

Orange: LOC is not exceeded --- (920 mg/(cu m))

Condition A, vent 2 m/s

Condition D, vent 5 m/s

Condition F, vent 3 m/s

	SITE DATA:	SITE DATA:	SITE DATA:
	Location: ROYE, FRANCE	Location: ROYE, FRANCE	Location: ROYE, FRANCE
	Building Air Exchanges Per Hour: 0.42 (unsheltered single storied)	Building Air Exchanges Per Hour: 1.04 (unsheltered single storied)	Building Air Exchanges Per Hour: 0.65 (unsheltered single storied)
	Time: December 12, 2024 1018 hours DST (using computer's clock)	Time: December 12, 2024 1018 hours DST (using computer's clock)	Time: December 12, 2024 1018 hours DST (using computer's clock)
	CHEMICAL DATA:	CHEMICAL DATA:	CHEMICAL DATA:
	Chemical Name: CARBON DIOXIDE Molecular Weight: 44.01 g/mol	Chemical Name: CARBON DIOXIDE Molecular Weight: 44.01 g/mol	Chemical Name: CARBON DIOXIDE Molecular Weight: 44.01 g/mol
	PAC-1: 30000 ppm PAC-2: 30000 ppm PAC-3: 50000 ppm	PAC-1: 30000 ppm PAC-2: 30000 ppm PAC-3: 50000 ppm	PAC-1: 30000 ppm PAC-2: 30000 ppm PAC-3: 50000 ppm
	IDLH: 40000 ppm	IDLH: 40000 ppm	IDLH: 40000 ppm
	Normal Boiling Point: -unavail-	Normal Boiling Point: -unavail-	Normal Boiling Point: -unavail-
	Vapor Pressure at Ambient Temperature: greater than 1 atm	Vapor Pressure at Ambient Temperature: greater than 1 atm	Vapor Pressure at Ambient Temperature: greater than 1 atm
	Ambient Saturation Concentration: 1,000,000 ppm or 100.0%	Ambient Saturation Concentration: 1,000,000 ppm or 100.0%	Ambient Saturation Concentration: 1,000,000 ppm or 100.0%
	Note: Not enough chemical data to use Heavy Gas option	Note: Not enough chemical data to use Heavy Gas option	Note: Not enough chemical data to use Heavy Gas option
	ATMOSPHERIC DATA: (MANUAL INPUT OF DATA)	ATMOSPHERIC DATA: (MANUAL INPUT OF DATA)	ATMOSPHERIC DATA: (MANUAL INPUT OF DATA)
CO2	Wind: 2 meters/second from SSW at 3 meters	Wind: 5 meters/second from SSW at 3 meters	Wind: 3 meters/second from SSW at 3 meters
CO2	Ground Roughness: open country Cloud Cover: 5 tenths	Ground Roughness: open country Cloud Cover: 5 tenths	Ground Roughness: open country Cloud Cover: 5 tenths
	Air Temperature: 20° C	Air Temperature: 20° C	Air Temperature: 15° C
	Stability Class: A (user override)	Stability Class: D	Stability Class: F (user override)
	No Inversion Height Relative Humidity: 50%	No Inversion Height Relative Humidity: 50%	No Inversion Height Relative Humidity: 50%
	SOURCE STRENGTH:	SOURCE STRENGTH:	SOURCE STRENGTH:
	Direct Source: 697,4 kilograms/sec Source Height: 233 meters	Direct Source: 697,4 kilograms/sec Source Height: 93 meters	Direct Source: 697,4 kilograms/sec Source Height: 155 meters
	Release Duration: 60 minutes	Release Duration: 60 minutes	Release Duration: 60 minutes
	Release Rate: 41844 kilograms/min	Release Rate: 41844 kilograms/min	Release Rate: 41844 kilograms/min
	Total Amount Released: 2510640 kilograms	Total Amount Released: 2510640 kilograms	Total Amount Released: 2510640 kilograms
	THREAT ZONE: (GAUSSIAN SELECTED)	THREAT ZONE: (GAUSSIAN SELECTED)	THREAT ZONE: (GAUSSIAN SELECTED)
	Model Run: Gaussian	Model Run: Gaussian	Model Run: Gaussian
	Red : LOC is not exceeded (89980 mg/(cu m))	Red : LOC is not exceeded (89980 mg/(cu m))	Red : LOC is not exceeded (89980 mg/(cu m))
	Note: Threat zone was not drawn because	Note: Threat zone was not drawn because	Note: Threat zone was not drawn because
	the ground level concentrations never exceed the LOC.	the ground level concentrations never exceed the LOC.	the ground level concentrations never exceed the LOC.

Condition A, vent 2 m/s

Note: Threat zone was not drawn because

the ground level concentrations never exceed the LOC.

Condition D, vent 5 m/s

Condition F, vent 3 m/s

Note: Threat zone was not drawn because

the ground level concentrations never exceed the LOC.

		,	,
	SITE DATA:	SITE DATA:	SITE DATA:
	Location: ROYE, FRANCE	Location: ROYE, FRANCE	Location: ROYE, FRANCE
	Building Air Exchanges Per Hour: 0.42 (unsheltered single storied)	Building Air Exchanges Per Hour: 1.04 (unsheltered single storied)	Building Air Exchanges Per Hour: 0.65 (unsheltered single storied)
	Time: December 12, 2024 1019 hours DST (using computer's clock)	Time: December 12, 2024 1019 hours DST (using computer's clock)	Time: December 12, 2024 1020 hours DST (using computer's clock)
	CHEMICAL DATA:	CHEMICAL DATA:	CHEMICAL DATA:
	Warning: HYDROGEN CHLORIDE can react with water and/or water vapor. This	Warning: HYDROGEN CHLORIDE can react with water and/or water vapor. This	Warning: HYDROGEN CHLORIDE can react with water and/or water vapor. This
	can affect the evaporation rate and downwind dispersion. ALOHA cannot	can affect the evaporation rate and downwind dispersion. ALOHA cannot	can affect the evaporation rate and downwind dispersion. ALOHA cannot
	accurately predict the air hazard if this substance comes in contact with	accurately predict the air hazard if this substance comes in contact with	accurately predict the air hazard if this substance comes in contact with
	water.	water.	water.
	Chemical Name: HYDROGEN CHLORIDE Molecular Weight: 36.46 g/mol	Chemical Name: HYDROGEN CHLORIDE Molecular Weight: 36.46 g/mol	Chemical Name: HYDROGEN CHLORIDE Molecular Weight: 36.46 g/mol
	AEGL-1 (60 min): 1.8 ppm AEGL-2 (60 min): 22 ppm AEGL-3 (60 min): 100 ppm	AEGL-1 (60 min): 1.8 ppm AEGL-2 (60 min): 22 ppm AEGL-3 (60 min): 100 ppm	
	IDLH: 50 ppm	IDLH: 50 ppm	IDLH: 50 ppm
	Ambient Boiling Point: -85.0° C Vapor Pressure at Ambient Temperature: greater than 1 atm	Ambient Boiling Point: -85.0° C Vapor Pressure at Ambient Temperature: greater than 1 atm	Ambient Boiling Point: -85.0° C Vapor Pressure at Ambient Temperature: greater than 1 atm
	Ambient Saturation Concentration: 1,000,000 ppm or 100.0%	Ambient Saturation Concentration: 1,000,000 ppm or 100.0%	Ambient Saturation Concentration: 1,000,000 ppm or 100.0%
	Ambient Saturation Concentration: 1,000,000 ppm of 100.0%	Ambient Saturation Concentration: 1,000,000 ppm of 100.076	Ambient Saturation Concentration. 1,000,000 ppm of 100.0%
	ATMOSPHERIC DATA: (MANUAL INPUT OF DATA)	ATMOSPHERIC DATA: (MANUAL INPUT OF DATA)	ATMOSPHERIC DATA: (MANUAL INPUT OF DATA)
	Wind: 2 meters/second from SSW at 3 meters	Wind: 5 meters/second from SSW at 3 meters	Wind: 3 meters/second from SSW at 3 meters
нсі	Ground Roughness: open country Cloud Cover: 5 tenths	Ground Roughness: open country Cloud Cover: 5 tenths	Ground Roughness: open country Cloud Cover: 5 tenths
	Air Temperature: 20° C	Air Temperature: 20° C	Air Temperature: 15° C
	Stability Class: A (user override)	Stability Class: D	Stability Class: F (user override)
	No Inversion Height Relative Humidity: 50%	No Inversion Height Relative Humidity: 50%	No Inversion Height Relative Humidity: 50%
	SOURCE STRENGTH:	SOURCE STRENGTH:	SOURCE STRENGTH:
	Direct Source: 26,28 kilograms/sec Source Height: 233 meters	Direct Source: 26,28 kilograms/sec Source Height: 93 meters	Direct Source: 26,28 kilograms/sec Source Height: 155 meters
	Release Duration: 60 minutes	Release Duration: 60 minutes	Release Duration: 60 minutes
	Release Rate: 1576,8 kilograms/min	Release Rate: 1576,8 kilograms/min	Release Rate: 1576,8 kilograms/min
	Total Amount Released: 94608 kilograms	Total Amount Released: 94608 kilograms	Total Amount Released: 94608 kilograms
	Note: This chemical may flash boil and/or result in two phase flow.	Note: This chemical may flash boil and/or result in two phase flow.	Note: This chemical may flash boil and/or result in two phase flow.
	THREAT ZONE: (GAUSSIAN SELECTED)	THREAT ZONE: (GAUSSIAN SELECTED)	THREAT ZONE: (GAUSSIAN SELECTED)
	Model Run: Gaussian	Model Run: Gaussian	Model Run: Gaussian
	Red : LOC is not exceeded (358 mg/(cu m))	Red : LOC is not exceeded (358 mg/(cu m))	Red : LOC is not exceeded (358 mg/(cu m))
	Note: Threat zone was not drawn because	Note: Threat zone was not drawn because	Note: Threat zone was not drawn because
	the ground level concentrations never exceed the LOC.	the ground level concentrations never exceed the LOC.	the ground level concentrations never exceed the LOC.
	Orange: LOC is not exceeded (60 mg/(cu m))	Orange: LOC is not exceeded (60 mg/(cu m))	Orange: LOC is not exceeded (60 mg/(cu m))
1	Note: The extreme control of the con	N. A. Thurston and Joseph Brown Brown	Note: The estate of the second state of the se

Note: Threat zone was not drawn because

the ground level concentrations never exceed the LOC.

Condition A, vent 2 m/s Condition D, vent 5 m/s Condition F, vent 3 m/s

	SITE DATA:	SITE DATA:	SITE DATA:
	Location: ROYE, FRANCE	Location: ROYE, FRANCE	Location: ROYE, FRANCE
	Building Air Exchanges Per Hour: 0.42 (unsheltered single storied)	Building Air Exchanges Per Hour: 1.04 (unsheltered single storied)	Building Air Exchanges Per Hour: 0.65 (unsheltered single storied)
	Time: December 12, 2024 1020 hours DST (using computer's clock)	Time: December 12, 2024 1021 hours DST (using computer's clock)	Time: December 12, 2024 1021 hours DST (using computer's clock)
	CHEMICAL DATA:	CHEMICAL DATA:	CHEMICAL DATA:
	Chemical Name: HYDROGEN CYANIDE Molecular Weight: 27.03 g/mol	Chemical Name: HYDROGEN CYANIDE Molecular Weight: 27.03 g/mol	Chemical Name: HYDROGEN CYANIDE Molecular Weight: 27.03 g/mol
	AEGL-1 (60 min): 2 ppm AEGL-2 (60 min): 7.1 ppm AEGL-3 (60 min): 15 ppm	AEGL-1 (60 min): 2 ppm AEGL-2 (60 min): 7.1 ppm AEGL-3 (60 min): 15 ppm	AEGL-1 (60 min): 2 ppm AEGL-2 (60 min): 7.1 ppm AEGL-3 (60 min): 15 ppm
	IDLH: 50 ppm LEL: 56000 ppm UEL: 400000 ppm	IDLH: 50 ppm LEL: 56000 ppm UEL: 400000 ppm	IDLH: 50 ppm LEL: 56000 ppm UEL: 400000 ppm
	Ambient Boiling Point: 25.5° C	Ambient Boiling Point: 25.5° C	Ambient Boiling Point: 25.5° C
	Vapor Pressure at Ambient Temperature: 0.81 atm	Vapor Pressure at Ambient Temperature: 0.81 atm	Vapor Pressure at Ambient Temperature: 0.81 atm
	Ambient Saturation Concentration: 807,489 ppm or 80.7%	Ambient Saturation Concentration: 807,489 ppm or 80.7%	Ambient Saturation Concentration: 807,489 ppm or 80.7%
	ATMOSPHERIC DATA: (MANUAL INPUT OF DATA)	ATMOSPHERIC DATA: (MANUAL INPUT OF DATA)	ATMOSPHERIC DATA: (MANUAL INPUT OF DATA)
	Wind: 2 meters/second from SSW at 3 meters	Wind: 5 meters/second from SSW at 3 meters	Wind: 3 meters/second from SSW at 3 meters
HCN	Ground Roughness: open country Cloud Cover: 5 tenths	Ground Roughness: open country Cloud Cover: 5 tenths	Ground Roughness: open country Cloud Cover: 5 tenths
	Air Temperature: 20° C	Air Temperature: 20° C	Air Temperature: 15° C
	Stability Class: A (user override)	Stability Class: D	Stability Class: F (user override)
	No Inversion Height Relative Humidity: 50%	No Inversion Height Relative Humidity: 50%	No Inversion Height Relative Humidity: 50%
	SOURCE STRENGTH:	SOURCE STRENGTH:	SOURCE STRENGTH:
	Direct Source: 2,04 kilograms/sec Source Height: 233 meters	Direct Source: 2,04 kilograms/sec Source Height: 93 meters	Direct Source: 2,04 kilograms/sec Source Height: 155 meters
	Release Duration: 60 minutes	Release Duration: 60 minutes	Release Duration: 60 minutes
	Release Rate: 122,4 kilograms/min	Release Rate: 122,4 kilograms/min	Release Rate: 122,4 kilograms/min
	Total Amount Released: 7344 kilograms	Total Amount Released: 7344 kilograms	Total Amount Released: 7344 kilograms
	THREAT ZONE: (GAUSSIAN SELECTED)	THREAT ZONE: (GAUSSIAN SELECTED)	THREAT ZONE: (GAUSSIAN SELECTED)
	Model Run: Gaussian	Model Run: Gaussian	Model Run: Gaussian
	Red : LOC is not exceeded (45 mg/(cu m))	Red : LOC is not exceeded (45 mg/(cu m))	Red : LOC is not exceeded (45 mg/(cu m))
	Note: Threat zone was not drawn because	Note: Threat zone was not drawn because	Note: Threat zone was not drawn because
	the ground level concentrations never exceed the LOC.	the ground level concentrations never exceed the LOC.	the ground level concentrations never exceed the LOC.

Condition A, vent 2 m/s Condition D, vent 5 m/s Condition F, vent 3 m/s

	SITE DATA:	SITE DATA:	SITE DATA:
	Location: ROYE, FRANCE	Location: ROYE, FRANCE	Location: ROYE, FRANCE
	Building Air Exchanges Per Hour: 0.42 (unsheltered single storied)	Building Air Exchanges Per Hour: 1.04 (unsheltered single storied)	Building Air Exchanges Per Hour: 0.65 (unsheltered single storied)
	Time: December 12, 2024 1022 hours DST (using computer's clock)	Time: December 12, 2024 1022 hours DST (using computer's clock)	Time: December 12, 2024 1023 hours DST (using computer's clock)
	ATMOSPHERIC DATA: (MANUAL INPUT OF DATA)	ATMOSPHERIC DATA: (MANUAL INPUT OF DATA)	ATMOSPHERIC DATA: (MANUAL INPUT OF DATA)
	Wind: 2 meters/second from SSW at 3 meters	Wind: 5 meters/second from SSW at 3 meters	Wind: 3 meters/second from SSW at 3 meters
	Ground Roughness: open country Cloud Cover: 5 tenths	Ground Roughness: open country Cloud Cover: 5 tenths	Ground Roughness: open country Cloud Cover: 5 tenths
	Air Temperature: 20° C	Air Temperature: 20° C	Air Temperature: 15° C
	Stability Class: A (user override)	Stability Class: D	Stability Class: F (user override)
	No Inversion Height Relative Humidity: 50%	No Inversion Height Relative Humidity: 50%	No Inversion Height Relative Humidity: 50%
	SOURCE STRENGTH:	SOURCE STRENGTH:	SOURCE STRENGTH:
Fumées	Direct Source: 3175,55 kilograms/sec Source Height: 233 meters	Direct Source: 3175,55 kilograms/sec Source Height: 93 meters	Direct Source: 3175,55 kilograms/sec Source Height: 155 meters
runiees	Release Duration: 60 minutes	Release Duration: 60 minutes	Release Duration: 60 minutes
	Release Rate: 190533 kilograms/min	Release Rate: 190533 kilograms/min	Release Rate: 190533 kilograms/min
	Total Amount Released: 11431980 kilograms	Total Amount Released: 11431980 kilograms	Total Amount Released: 11431980 kilograms
	Note: This chemical may flash boil and/or result in two phase flow.	Note: This chemical may flash boil and/or result in two phase flow.	Note: This chemical may flash boil and/or result in two phase flow.
	Use both dispersion modules to investigate its potential behavior.	Use both dispersion modules to investigate its potential behavior.	Use both dispersion modules to investigate its potential behavior.
	THREAT ZONE: (GAUSSIAN SELECTED)	THREAT ZONE: (GAUSSIAN SELECTED)	THREAT ZONE: (GAUSSIAN SELECTED)
	Model Run: Gaussian	Model Run: Gaussian	Model Run: Gaussian
	Red : LOC is not exceeded (21705 mg/(cu m))	Red : LOC is not exceeded (21705 mg/(cu m))	Red : LOC is not exceeded (21705 mg/(cu m))
	Note: Threat zone was not drawn because	Note: Threat zone was not drawn because	Note: Threat zone was not drawn because
	the ground level concentrations never exceed the LOC.	the ground level concentrations never exceed the LOC.	the ground level concentrations never exceed the LOC.
	Orange: LOC is not exceeded (5568 mg/(cu m))	Orange: LOC is not exceeded (5568 mg/(cu m))	Orange: LOC is not exceeded (5568 mg/(cu m))
	Note: Threat zone was not drawn because	Note: Threat zone was not drawn because	Note: Threat zone was not drawn because
	the ground level concentrations never exceed the LOC.	the ground level concentrations never exceed the LOC.	the ground level concentrations never exceed the LOC.